

Hole No.	From m	To m	Interval m	Ag g/t	Cu %	Pb %	Zn %
11 CLM-001	296.2	297.4	1.2	99	0.14	0.04	0.05
11 CLM-002	93.7	94.3	0.6	94	0.02	1.64	3.25
	96.5	111.2	14.7	40	0.06	1.02	0.65
inc	99.2	105.9	6.8	153	0.11	1.47	1.01
and	104.0	105.9	1.9	124	0.21	2.18	1.09
	135.6	136.9	1.3	170	0.06	0.52	0.22
	262.8	263.3	0.4	164	---	3.28	6.79
11 CLM-003	283.5	285.7	2.2	85	0.02	1.30	0.37
	283.5	283.9	0.4	382	0.07	6.25	1.62
	419.6	433.6	14.0	60	0.94	0.31	1.60
inc	419.6	421.7	2.1	100	1.37	0.17	3.08
inc	423.1	424.5	1.4	92	1.33	0.46	3.30
inc	428.8	430.3	1.5	72	1.45	0.53	1.56
inc	432.0	433.6	1.6	62	1.25	0.40	1.48
11CLM-004	214.5	219.0	4.5	20	0.4	0.4	---
11CLM-005	182	190	7.8	8.6	---	---	---
11CLM-006	215.5	224.6	9.1	194	0.1	5.5	1.8
inc.	220.4	223.3	2.9	514	0.1	12.8	0.9
and	342.1	343.4	1.3	22	---	1.0	2.1
and	410.5	427.9	17.4	51	0.4	0.2	4.7
inc.	410.5	411.3	0.7	162	0.4	2.1	10.4
and	424.2	427.9	3.7	184	2.0	0.3	18.4
11CLM-007	178.2	181.8	3.6	27	---	0.3	---
inc	178.2	178.8	0.6	71	---	0.9	0.1
inc	180.9	181.8	0.9	62	---	0.8	0.1
11CLM-008	74.5	75.1	0.6	166	0.3	5.9	7.9
and	168.4	179.3	10.9	268	---	4.5	3.8
inc.	168.4	171.7	3.3	818	---	12.9	10.9
and	169.6	171.4	1.8	1400	---	19.7	14.5